



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Sheffield.....	Mar. 30	455,000	143	12								1		
Do.....	Apr. 6		119	5						2				
Singapore.....	Feb. 24	303,328	163	25	1									
Do.....	Mar. 2		158	28				1		2				
Southampton.....	Apr. 6	120,896	33	4										2
South Shields.....	do.....	109,676	38	7									1	1
Stettin.....	Mar. 30	240,000	63	7								1		
Stoke-on-Trent.....	Apr. 6	237,153	57	7								3	1	1
Talcahuana.....	Mar. 23	28,000												1
Trieste.....	do.....	232,000	98									1	1	2
Turin.....	Mar. 31	430,770	154	13						2		2		1
Do.....	Apr. 7		163	20						1	1	1	1	1
Warsaw.....	Feb. 17	797,093	333	32				4		1	7	2	1	1
Valencia.....	Mar. 30	235,000	103	7				2				1		1
Vienna.....	Mar. 23	2,064,583	734	128						2	4	6	11	1
Vigo.....	Mar. 16	41,500	19	2								2		1
Do.....	Mar. 30		18	3								1		
Do.....	Apr. 6		13	2								1		
West Hartlepool.....	Mar. 30	63,932	12							1				
Do.....	Apr. 6		15									1		
Vladivostok.....	Jan. 21	84,578	65	8						2	7			
	28													
Windsor.....	Apr. 20	17,918	7							2				
Winnipeg.....	Apr. 13	151,958	53	2							1	1		
Yokohama.....	Mar. 25	444,039										2		
Do.....	Apr. 1											1		

MORTALITY—FOREIGN AND INSULAR COUNTRIES AND CITIES
(Untabulated).

BRAZIL—*Ceara*.—Month of February, 1912. Population, 60,000. Total number of deaths from all causes 176, including tuberculosis 15, typhoid fever 9, yellow fever 4.

Pernambuco.—Two weeks ended February 29, 1912. Population, 225,000. Total number of deaths from all causes 361, including plague 1, smallpox 49, yellow fever 2.

Two weeks ended March 15, 1912. Total number of deaths from all causes 395, including smallpox 48, typhoid fever 1, yellow fever 2.

CANADA—*Hamilton*.—Month of March, 1912. Population, 82,000. Total number of deaths from all causes not reported. The deaths include measles 1, tuberculosis 5.

FRANCE—*Calais*.—Month of March, 1912. Population, 75,000. Total number of deaths from all causes 110, including tuberculosis 26, typhoid fever 2.

St. Etienne.—Month of March, 1912. Population, 150,000. Total number of deaths from all causes 243, including diphtheria 3, scarlet fever 2, tuberculosis 41, typhoid fever 2.

GREAT BRITAIN.—Week ended March 30, 1912.

England and Wales.—The deaths registered in 94 great towns correspond to an annual rate of 14.6 per 1,000 of the population, which is estimated at 17,559,219.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 23.5 per 1,000 of the population, which is estimated at 1,157,014. The lowest rate was recorded at Newtownards, viz, 5.7, and the highest at Cork, viz, 32.7 per 1,000.

Scotland.—The deaths registered in 18 principal towns correspond to an annual rate of 17 per 1,000 of the population, which is estimated at 2,182,400. The lowest rate was recorded at Perth, viz, 8.7, and the highest at Greenock, viz, 25.4 per 1,000. The total number of deaths from all causes was 709, including diphtheria 3, measles 48, scarlet fever 7, typhoid fever 1.

INDIA—*Rangoon*.—Month of January, 1912. Population, 293,316. Total number of deaths from all causes 826, including plague 24, smallpox 10, tuberculosis 35, typhoid fever 2.

ITALY—*Messina*.—Month of March, 1912. Population, 127,000. Total number of deaths from all causes 123, including measles 2, scarlet fever 2, tuberculosis 5.

Milan.—Two weeks ended March 31, 1912. Population, 602,236. Total number of deaths from all causes 140, including diphtheria 4, measles 4, scarlet fever 3, tuberculosis 123, typhoid fever 3.

JAMAICA.—Month of March, 1912. Population, 52,000. Total number of deaths from all causes 180, including tuberculosis 24, typhoid fever 3.

NEW ZEALAND.—Month of January, 1912.

Auckland.—Population, 104,728. Total number of deaths 61, including measles 1, tuberculosis 5.

Christchurch.—Population, 82,004. Total number of deaths 62, including tuberculosis 4.

Dunedin.—Population, 65,690. Total number of deaths 59, including tuberculosis 2.

Wellington.—Population, 71,427. Total number of deaths 59, including tuberculosis 4.

SOUTH AFRICA—*Johannesburg*.—Month of February, 1912. Population, 237,220. Total number of deaths from all causes 160, including measles 2, tuberculosis 19, typhoid fever 7.

SPAIN—*Madrid*.—Month of March, 1912. Population, 584,117. Total number of deaths from all causes 1,255, including diphtheria 12, measles 13, scarlet fever 1, smallpox 13, tuberculosis 183, typhoid fever 10.

TAHITI.—Two weeks ended March 29, 1912. Population, 4,000. Total number of deaths from all causes 3. No deaths from contagious diseases.

By authority of the Secretary of the Treasury:

RUPERT BLUE,

Surgeon General,

United States Public Health and Marine-Hospital Service.